



8-180.000

		D	()	H	H1	B	B1	L	L1	K		*
8-180.000	1	57	1,0 (100)	100	129	85	40	350	100	3	2,30	250 .
8-180.000-01	1	57	1,0 (100)	100	129	85	40	350	100	3	2,30	1 100 .
8-180.000-02	1	76	1,5 (150)	100	138	105	60	350	100	3	2,80	290 .
8-180.000-03	1	76	1,5 (150)	100	138	105	60	350	100	3	2,80	1 350 .
8-180.000-04	1	89	2,0 (200)	100	145	105	60	350	100	3	2,80	290 .
8-180.000-05	1	89	2,0 (200)	100	145	105	60	350	100	3	2,80	1 350 .
8-180.000-06	1	108	3,0 (300)	100	154	145	100	350	100	4	4,40	450 .
8-180.000-07	1	108	3,0 (300)	100	154	145	100	350	100	4	4,40	2 200 .
8-180.000-08	1	108	3,0 (300)	150	204	145	100	350	100	4	4,90	490 .
8-180.000-09	1	108	3,0 (300)	150	204	145	100	350	100	4	5,00	2 500 .
8-180.000-10	1	133	4,0 (400)	100	167	145	100	350	100	4	4,30	450 .
8-180.000-11	1	133	4,0 (400)	100	167	145	100	350	100	4	4,30	2 150 .
8-180.000-12	1	133	4,0 (400)	150	217	145	100	350	100	4	4,90	490 .
8-180.000-13	1	133	4,0 (400)	150	217	145	100	350	100	4	4,90	2 500 .
8-180.000-14	1	159	5,0 (500)	100	180	165	120	350	100	4	5,00	500 .
8-180.000-15	1	159	5,0 (500)	100	180	165	120	350	100	4	5,00	2 500 .
8-180.000-16	1	159	5,0 (500)	150	230	165	120	350	100	4	5,60	560 .
8-180.000-17	1	159	5,0 (500)	150	230	165	120	350	100	4	5,60	2 800 .
8-180.000-18	1	219	11,0 (1100)	100	210	250	200	400	150	6	10,80	1 050 .
8-180.000-19	1	219	11,0 (1100)	100	210	250	200	400	150	6	10,90	4 900 .
8-180.000-20	1	219	11,0 (1100)	150	260	250	200	400	150	6	12,10	1 200 .
8-180.000-21	1	219	11,0 (1100)	150	260	250	200	400	150	6	12,30	5 500 .
8-180.000-22	1	273	19,0 (1900)	100	235	250	200	400	150	6	11,10	1 100 .
8-180.000-23	1	273	19,0 (1900)	100	235	250	200	400	150	6	11,20	5 050 .
8-180.000-24	1	273	19,0 (1900)	150	286	250	200	400	150	6	12,50	1 250 .
8-180.000-25	1	273	19,0 (1900)	150	286	250	200	400	150	6	12,60	5 600 .
8-180.000-26	1	325	25,0 (2500)	100	262	350	300	450	200	6	21,70	2 100 .
8-180.000-27	1	325	25,0 (2500)	100	262	350	300	450	200	6	21,70	9 700 .
8-180.000-28	1	325	25,0 (2500)	150	312	350	300	450	200	6	23,80	2 280 .
8-180.000-29	1	325	25,0 (2500)	150	312	350	300	450	200	6	23,80	10 500 .
8-180.000-30	1	377	30,0 (3000)	100	288	350	300	450	200	6	21,50	2 050 .
8-180.000-31	1	377	30,0 (3000)	100	288	350	300	450	200	6	21,50	9 680 .
8-180.000-32	1	377	30,0 (3000)	150	338	350	300	450	200	6	23,50	2 250 .
8-180.000-33	1	377	30,0 (3000)	150	338	350	300	450	200	6	23,60	10 600 .
8-180.000-34	1	426	36,0 (3600)	100	315	450	400	500	250	8	37,60	3 400 .
8-180.000-35	1	426	36,0 (3600)	100	315	450	400	500	250	8	37,60	15 100 .
8-180.000-36	1	426	36,0 (3600)	150	365	450	400	500	250	8	40,60	3 650 .
8-180.000-37	1	426	36,0 (3600)	150	365	450	400	500	250	8	40,80	16 200 .
8-180.000-38	1	478	36,0 (3600)	100	340	450	400	500	250	8	37,50	3 400 .
8-180.000-39	1	478	36,0 (3600)	100	340	450	400	500	250	8	37,50	15 000 .
8-180.000-40	1	478	36,0 (3600)	150	390	450	400	500	250	8	41,20	3 750 .
8-180.000-41	1	478	36,0 (3600)	150	390	450	400	500	250	8	41,20	16 400 .
8-180.000-42	1	530	45,0 (4500)	100	365	450	400	500	250	8	37,20	3 400 .
8-180.000-43	1	530	45,0 (4500)	100	365	450	400	500	250	8	37,20	14 800 .
8-180.000-44	1	530	45,0 (4500)	150	415	450	400	500	250	8	40,90	3 700 .
8-180.000-45	1	530	45,0 (4500)	150	415	450	400	500	250	8	40,90	16 400 .
8-180.000-46	1	630	60,0 (6000)	100	415	550	500	500	250	8	64,30	5 500 .
8-180.000-47	1	630	60,0 (6000)	100	415	550	500	500	250	8	64,30	23 700 .

8-180.000-48	1	630	60,0 (6000)	150	465	550	500	500	250	8	67,70	5 770 .
8-180.000-49	1	630	60,0 (6000)	150	465	550	500	500	250	8	67,70	25 050 .
8-180.000-50	1	720	75,0 (7500)	100	460	650	600	600	350	8	78,10	6 650 .
8-180.000-51	1	720	75,0 (7500)	100	460	650	600	600	350	8	78,10	28 800 .
8-180.000-52	1	720	75,0 (7500)	150	510	650	600	600	350	8	83,70	7 100 .
8-180.000-53	1	720	75,0 (7500)	150	510	650	600	600	350	8	83,70	30 000 .
8-180.000-54	1	820	95,0 (9500)	100	510	650	600	600	350	8	75,80	6 500 .
8-180.000-55	1	820	95,0 (9500)	100	510	650	600	600	350	8	75,80	28 050 .
8-180.000-56	1	820	95,0 (9500)	150	560	650	600	600	350	8	81,40	6 900 .
8-180.000-57	1	820	95,0 (9500)	150	560	650	600	600	350	8	81,40	30 100 .
8-180.000-58	1	920	115,0 (11500)	100	560	750	700	600	350	10	101,00	8 100 .
8-180.000-59	1	920	115,0 (11500)	100	560	750	700	600	350	10	101,00	35 000 .
8-180.000-60	1	920	115,0 (11500)	150	610	750	700	600	350	10	108,70	8 700 .
8-180.000-61	1	920	115,0 (11500)	150	610	750	700	600	350	10	108,00	37 500 .
8-180.000-62	1	1020	135,0 (13500)	100	610	750	700	600	350	10	99,00	8 000 .
8-180.000-63	1	1020	135,0 (13500)	100	610	750	700	600	350	10	99,00	34 600 .
8-180.000-64	1	1020	135,0 (13500)	150	660	750	700	600	350	10	107,00	8 600 .
8-180.000-65	1	1020	135,0 (13500)	150	660	750	700	600	350	10	107,00	37 100 .
8-180.000-66	1	1220	185,0 (18500)	100	710	850	800	700	450	10	136,00	10 200 .
8-180.000-67	1	1220	185,0 (18500)	100	710	850	800	700	450	10	136,00	44 800 .
8-180.000-68	1	1220	185,0 (18500)	150	760	850	800	700	450	10	146,00	10 900 .
8-180.000-69	1	1220	185,0 (18500)	150	760	850	800	700	450	10	146,00	48 100 .
8-180.000-70	1	1420	260,0 (26000)	100	810	850	800	700	450	10	134,00	10 100 .
8-180.000-71	1	1420	260,0 (26000)	100	810	850	800	700	450	10	134,00	44 200 .
8-180.000-72	1	1420	260,0 (26000)	150	860	850	800	700	450	10	143,00	10 800 .
8-180.000-73	1	1420	260,0 (26000)	150	860	850	800	700	450	10	143,00	47 100 .
8-180.000-74	1	1620	330,0 (33000)	100	910	950	900	700	450	12	169,00	12 700 .
8-180.000-75	1	1620	330,0 (33000)	100	910	950	900	700	450	12	169,00	54 000 .
8-180.000-76	1	1620	330,0 (33000)	150	960	950	900	700	450	12	175,00	13 100 .
8-180.000-77	1	1620	330,0 (33000)	150	960	950	900	700	450	12	175,00	56 000 .
8-180.000-78	2	57	1,0 (100)	100	128	85	40	350	100	-	2,60	280 .
8-180.000-79	2	57	1,0 (100)	100	128	85	40	350	100	-	2,60	1 320 .
8-180.000-80	2	76	1,5 (150)	100	138	105	60	350	100	-	3,20	340 .
8-180.000-81	2	76	1,5 (150)	100	138	105	60	350	100	-	3,20	1 550 .
8-180.000-82	2	89	2,0 (200)	100	145	105	60	350	100	-	3,40	370 .
8-180.000-83	2	89	2,0 (200)	100	145	105	60	350	100	-	3,40	1 700 .
8-180.000-84	2	108	3,0 (300)	100	154	145	100	350	100	-	5,30	530 .
8-180.000-85	2	108	3,0 (300)	100	154	145	100	350	100	-	5,30	2 500 .
8-180.000-86	2	108	3,0 (300)	150	204	145	100	350	100	-	5,80	580 .
8-180.000-87	2	108	3,0 (300)	150	204	145	100	350	100	-	5,80	2 620 .
8-180.000-88	2	133	4,0 (400)	100	167	145	100	350	100	-	5,90	590 .
8-180.000-89	2	133	4,0 (400)	100	167	145	100	350	100	-	5,90	2 680 .
8-180.000-90	2	133	4,0 (400)	150	217	145	100	350	100	-	6,40	640 .
8-180.000-91	2	133	4,0 (400)	150	217	145	100	350	100	-	6,40	2 900 .
8-180.000-92	2	159	5,0 (500)	100	180	165	120	350	100	-	6,70	670 .
8-180.000-93	2	159	5,0 (500)	100	180	165	120	350	100	-	6,70	3 000 .
8-180.000-94	2	159	5,0 (500)	150	230	165	120	350	100	-	7,30	730 .
8-180.000-95	2	159	5,0 (500)	150	230	165	120	350	100	-	7,30	3 280 .
8-180.000-96	2	219	11,0 (1100)	100	210	250	200	400	150	-	14,40	1 380 .
8-180.000-97	2	219	11,0 (1100)	100	210	250	200	400	150	-	15,30	6 800 .
8-180.000-98	2	219	11,0 (1100)	150	260	250	200	400	150	-	15,60	1 480 .
8-180.000-99	2	219	11,0 (1100)	150	260	250	200	400	150	-	16,70	7 350 .
8-180.000-100	2	273	19,0 (1900)	100	236	250	200	400	150	-	15,80	1 500 .
8-180.000-101	2	273	19,0 (1900)	100	236	250	200	400	150	-	17,00	7 480 .
8-180.000-102	2	273	19,0 (1900)	150	286	250	200	400	150	-	17,20	1 640 .
8-180.000-103	2	273	19,0 (1900)	150	286	250	200	400	150	-	18,40	8 000 .
8-180.000-104	2	325	25,0 (2500)	100	262	350	300	400	200	-	27,60	2 500 .
8-180.000-105	2	325	25,0 (2500)	100	262	350	300	400	200	-	30,10	12 900 .
8-180.000-106	2	325	25,0 (2500)	150	312	350	300	400	200	-	29,70	2 680 .
8-180.000-107	2	325	25,0 (2500)	150	312	350	300	400	200	-	32,20	13 800 .

8-180.000-108	2	377	30,0 (3000)	100	288	350	300	400	200	-	30,50	2 750 .
8-180.000-109	2	377	30,0 (3000)	100	288	350	300	400	200	-	32,00	13 750 .
8-180.000-110	2	377	30,0 (3000)	150	338	350	300	400	200	-	32,00	2 900 .
8-180.000-111	2	377	30,0 (3000)	150	338	350	300	400	200	-	34,00	14 600 .
8-180.000-112	2	426	36,0 (3600)	100	315	450	400	500	250	-	52,50	4 500 .
8-180.000-113	2	426	36,0 (3600)	100	315	450	400	500	250	-	56,00	22 400 .
8-180.000-114	2	426	36,0 (3600)	150	365	450	400	500	250	-	56,10	4 800 .
8-180.000-115	2	426	36,0 (3600)	150	365	450	400	500	250	-	59,40	23 700 .
8-180.000-116	2	478	36,0 (3600)	100	340	450	400	500	250	-	55,00	4 680 .
8-180.000-117	2	478	36,0 (3600)	100	340	450	400	500	250	-	58,00	23 200 .
8-180.000-118	2	478	36,0 (3600)	150	390	450	400	500	250	-	58,80	5 000 .
8-180.000-119	2	478	36,0 (3600)	150	390	450	400	500	250	-	61,50	23 400 .
8-180.000-120	2	530	45,0 (4500)	100	365	450	400	500	250	-	58,00	4 950 .
8-180.000-121	2	530	45,0 (4500)	100	365	450	400	500	250	-	60,00	22 800 .
8-180.000-122	2	530	45,0 (4500)	150	415	450	400	500	250	-	60,60	5 150 .
8-180.000-123	2	530	45,0 (4500)	150	415	450	400	500	250	-	63,50	24 000 .
8-180.000-124	2	630	60,0 (6000)	100	415	550	500	500	250	-	76,90	6 500 .
8-180.000-125	2	630	60,0 (6000)	100	415	550	500	500	250	-	80,50	28 100 .
8-180.000-126	2	630	60,0 (6000)	150	465	550	500	500	250	-	82,00	6 980 .
8-180.000-127	2	630	60,0 (6000)	150	465	550	500	500	250	-	86,00	30 100 .
8-180.000-128	2	720	75,0 (7500)	100	460	650	600	600	350	-	114,00	9 150 .
8-180.000-129	2	720	75,0 (7500)	100	460	650	600	600	350	-	120,00	36 000 .
8-180.000-130	2	720	75,0 (7500)	150	510	650	600	600	350	-	119,00	9 550 .
8-180.000-131	2	720	75,0 (7500)	150	510	650	600	600	350	-	126,00	37 800 .
8-180.000-132	2	820	95,0 (9500)	100	510	650	600	600	350	-	118,00	9 480 .
8-180.000-133	2	820	95,0 (9500)	100	510	650	600	600	350	-	126,00	37 800 .
8-180.000-134	2	820	95,0 (9500)	150	560	650	600	600	350	-	124,40	9 950 .
8-180.000-135	2	820	95,0 (9500)	150	560	650	600	600	350	-	132,00	39 600 .
8-180.000-136	2	920	115,0 (11500)	100	560	750	700	600	350	-	150,00	11 250 .
8-180.000-137	2	920	115,0 (11500)	100	560	750	700	600	350	-	159,00	44 520 .
8-180.000-138	2	920	115,0 (11500)	150	610	750	700	600	350	-	157,00	11 800 .
8-180.000-139	2	920	115,0 (11500)	150	610	750	700	600	350	-	167,00	46 700 .
8-180.000-140	2	1020	135,0 (13500)	100	610	750	700	600	350	-	155,00	11 650 .
8-180.000-141	2	1020	135,0 (13500)	100	610	750	700	600	350	-	165,00	46 200 .
8-180.000-142	2	1020	135,0 (13500)	150	660	750	700	600	350	-	163,00	12 200 .
8-180.000-143	2	1020	135,0 (13500)	150	660	750	700	600	350	-	173,00	48 400 .
8-180.000-144	2	1220	185,0 (18500)	100	710	850	800	700	450	-	222,00	15 600 .
8-180.000-145	2	1220	185,0 (18500)	100	710	850	800	700	450	-	237,00	59 300 .
8-180.000-146	2	1220	185,0 (18500)	150	760	850	800	700	450	-	232,00	16 400 .
8-180.000-147	2	1220	185,0 (18500)	150	760	850	800	700	450	-	246,00	61 900 .
8-180.000-148	2	1420	260,0 (26000)	100	810	850	800	700	450	-	236,00	16 500 .
8-180.000-149	2	1420	260,0 (26000)	100	810	850	800	700	450	-	255,00	63 700 .
8-180.000-150	2	1420	260,0 (26000)	150	860	850	800	700	450	-	246,00	17 300 .
8-180.000-151	2	1420	260,0 (26000)	150	860	850	800	700	450	-	266,00	66 500 .
8-180.000-152	2	1620	330,0 (33000)	100	910	900	900	700	450	-	313,00	22 000 .
8-180.000-153	2	1620	330,0 (33000)	100	910	900	900	700	450	-	339,00	82 000 .
8-180.000-154	2	1620	330,0 (33000)	150	960	900	900	700	450	-	325,00	22 500 .
8-180.000-155	2	1620	330,0 (33000)	150	960	900	900	700	450	-	351,00	84 400 .

* -